

SECTION 1: Identification

1.1 Product identifier

Product name HUDSON VALLEY Turf Fertilizer with Dimension 0.17% Herbicide

1.2 Other means of identification

Granular fertilizer / Pesticide combination

1.3 Recommended use of the chemical and restrictions on use

For turf/ornamental fertilizer applications. See product label for application instructions.

1.4 Supplier's details

Name Central Turf & Irrigation Address 8 Williams Street

Elmsford NY 10523

Telephone 914-347-5656

1.5 Emergency phone number(s)

USA National Capital Poison Center: 1 800 222 1222

SECTION 2: Hazard identification

General hazard statement

Avoid creating dust when handling, using or storing. Use outdoors or in well ventilated area to avoid exposure to dust.

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Carcinogenicity, Cat. 1A
- Skin corrosion/irritation, Cat. 3
- Eve damage/irritation, Cat. 2B
- Specific target organ toxicity (single exposure), Cat. 3

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word	Danger
H320	Causes eye irritation
H335	May cause respiratory irritation
H350	May cause cancer [inhalation]
H316	Causes mild skin irritation
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor// if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Dispose of contents/container according to local regulations

2.3 Other hazards which do not result in classification

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

P501

Not applicable

3.2 Mixtures

Name	Product identifier	%	Classification (GHS-US)
Urea	(CAS No) 57-13-6	0.1 - 98	Not classified
Sulfuric acid, dipotassium salt	(CAS No) 7778-80-5	0.1 - 95	Not classified
Limestone	(CAS No) 1317-65-3	0.1 - 95	Not classified
Monoammonium phosphate	(CAS No) 7722-76-1	0.1 - 60	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
Urea, polymer with formaldehyde	(CAS No) 9011-05-6	0.1 - 60	Not classified
Diammonium phosphate	(CAS No) 7783-28-0	0.1 - 50	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 Aquatic Acute 3, H402
Bentonite	(CAS No) 1302-78-9	0.1 - 50	Not classified
Potassium chloride	(CAS No) 7447-40-7	0.1 - 20	Eye Irrit. 2B, H320
Ammonium sulfate	(CAS No) 7783-20-2	0.1 - 20	Aquatic Acute 2, H401

Ferrous sulfate	(CAS No) 7720-78-7	0.1 - 20	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400
Manganese oxide (Mn3O4)	(CAS No) 1317-35-7	0.1 - 20	Not classified
Magnesium oxide(MgO)	(CAS No) 1309-48-4	0.1 - 20	Not classified
Potassium nitrate	(CAS No) 7757-79-1	0.1 - 20	Ox. Sol. 2, H272
Iron oxide (Fe2O3)	(CAS No) 1309-37-1	0.1 - 10	Not classified
Magnesium sulfate	(CAS No) 7487-88-9	0.1 - 10	Skin Sens. 1, H317
Sulfate of Potash-Magnesia	(CAS No) 14977-37-8	0.1 - 10	Not classified
Saccharated iron oxide	(CAS No) 8047-67-4	0.1 - 10	Not classified
Carbonic acid, magnesium salt (1:1), mixture with magnesium hydroxide(Mg(OH)2), hydrate	(CAS No) 39409-82-0	0.1 - 10	Not classified
Sulfur	(CAS No) 7704-34-9	0.1 - 5	Comb. Dust Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Aquatic Acute 3, H402
Sodium chloride	(CAS No) 7647-14-5	0.1 - 5	Not classified
Manganese	(CAS No) 7439-96-5	0.1 - 5	Not classified

This Safety Data Sheet is not a guarantee of product specification or NPK value(s).

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i). Note: The balance of the ingredients are not classified as hazardous or are below the concentration limit to be classified as hazardous, under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided by a qualified operator. Get medical attention if irritation develops and persists
In case of skin contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Get medical attention if irritation develops and persists.
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.
If swallowed	Call a poison center or doctor if you feel unwell. If vomiting occurs naturally,

have victim lean forward to reduce the risk of aspiration. Do NOT induce

HUDSON VALLEY Turf Fertilizer with Dimension 0.17% Herbicide

vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Refer to first-aid section of product label

4.2 Most important symptoms/effects, acute and delayed

INHALATION: May cause respiratory irritation.

SKIN: Skin irritation

EYES: Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage

including blindness could result.

INGESTION: May cause discomfort if swallowed. May be harmful if swallowed in large quantities.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire. Avoid excessive water to minimize runoff. Prevent firefighter water from entering the environment.

Small fires: Water spray, foam, dry chemical or CO2

Large fires: Water spray, fog or foam.

5.2 Specific hazards arising from the chemical

Container may rupture on heating. Cool closed containers exposed to fire with water spray. Do not allow run-off from firefighting to enter drains or water courses. Explosive reactions with oxidizing agents such as potassium chlorate and/or peroxides. In case of fire hazardous decomposition products may be produced such as:

Ammonia

Carbon monoxide

Carbon dioxide (CO2)

- - -

Potassium chloride: Hydrogen chloride gas, Potassium oxides

- - -

Bentonite: Aluminum oxide, silicon oxide

5.3 Special protective actions for fire-fighters

In the event of fire and/or explosion do not breathe fumes. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Unprotected persons must be kept away. Evacuate personnel to safe areas. Provide adequate ventilation. Avoid dust formation. Avoid breathing dust.

6.2 Environmental precautions

Fertilizers will dissolve and disperse in water and promote algae growth, notify downstream water users of any release that may affect water quality

6.3 Methods and materials for containment and cleaning up

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Clean contaminated surface thoroughly.

Pick up and arrange disposal without creating dust. Use a suitable vacuum cleaner.

SECTION 7: Handling and storage

Precautions for safe handling

Keep out of reach of children. Do not swallow. Avoid breathing dust or mist. Avoid contact with eyes, skin, and clothing. Keep away from heat, sparks and flame. Good housekeeping and controlling of dusts are necessary for safe handling of product. Wash thoroughly after handling. Eating, drinking and smoking is prohibited when handling product. Use with adequate ventilation. Provide exhaust ventilation if dust is formed. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be protected against falling down. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible substances. Avoid generation and spreading of dust.

SECTION 8: Exposure controls/personal protection

Control parameters

o.i Control parameters		
Iron oxide (Fe2O3) (1309-37-1)		
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³
USA IDLH	US IDLH (mg/m³)	2500 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³
Magnesium oxide (MgO) (1309-48-4)		
USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
USA IDLH	US IDLH (mg/m³)	750 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³
Limestone (1317-65-3)		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³
Manganese (7439-96-5)		
USA ACGIH	ACGIH TWA (mg/m³)	0.1 mg/m³
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1 mg/m³
USA NIOSH	NIOSH REL (STEL) (mg/m³)	3 mg/m³
USA IDLH	US IDLH (mg/m³)	500 mg/m³
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	5 mg/m³

Appropriate engineering controls

Exposure Controls Appropriate Engineering Controls

Ensure all national/local regulations are observed.

Personal Protective Equipment

Gloves. Safety glasses. Protective clothing. Insufficient ventilation:

wear respiratory









Materials for Protective Clothing

Hand Protection Eye Protection

Skin and Body Protection

Respiratory Protection

Other Information

Chemically resistant materials and fabrics.

protective gloves.

Chemical goggles or safety glasses. Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

When using, do not eat, drink or smoke.

Respiratory protection

A NIOSH approved air purifying respirator with a type 95 (R or P) particulate filter may be used under conditions where airborne concentrations are expected to exceed exposure limits or respiratory irritation is experienced. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant a respirator use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)

Odor

Odor threshold

рΗ

Melting point/freezing point

Initial boiling point and boiling range

Flash point

Evaporation rate Flammability (solid, gas)

Upper/lower flammability limits
Upper/lower explosive limits

Vapor pressure Vapor density Relative density Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature Decomposition temperature

Viscosity

Explosive properties Oxidizing properties

Other safety information

Bulk Density: 63.4

Multi-color granules No data available. No data available.

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and use conditions. Some components may react if exposed to incompatible materials.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Contact with incompatible materials. Keep away from open flames, hot surfaces, and sources of ignition.

10.5 Incompatible materials

Contact with powerful oxidizing agents such as fluorine, boron trifluoride, chlorine trifluoride, manganese trifluoride, and oxygen difluoride may cause fire and/or explosions. Some components of limestone may react vigorously with water and strong acids.

Silica, crystalline: Hydrogen fluoride

Potassium chloride: Strong acids, Strong oxidizing agents

10.6 Hazardous decomposition products

The decomposition of fertilizer products may result in the generation of some or all of the following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other irritating and toxic fumes and gases.

SECTION 11: Toxicological information

Information	on toxico	logical	effects

Sulfuric acid, dipotassium salt (7778-80-5)	
LD50 Oral Rat	6600 mg/kg
Diammonium phosphate (7783-28-0)	
LD50 Oral Rat	6500 mg/kg
LD50 Dermal Rabbit	> 7950 mg/kg
Potassium chloride (7447-40-7)	·
LD50 Oral Rat	2600 mg/kg
Monoammonium phosphate (7722-76-1)	
LD50 Oral Rat	5750 mg/kg
LD50 Dermal Rabbit	> 7940 mg/kg
Ammonium sulfate (7783-20-2)	
LD50 Oral Rat	2000 mg/kg
Sulfur (7704-34-9)	
LD50 Oral Rat	> 3000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat (mg/l)	> 9.23 mg/l/4h
Iron oxide (Fe2O3) (1309-37-1)	
LD50 Oral Rat	> 10000 mg/kg
Ferrous sulfate (7720-78-7)	
LD50 Oral Rat	237 mg/kg
Sodium chloride (7647-14-5)	
LD50 Oral Rat	3 g/kg
LC50 Inhalation Rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)
Potassium nitrate (7757-79-1)	
LD50 Oral Rat	3015 mg/kg
Bentonite (1302-78-9)	
LD50 Oral Rat	> 5000 mg/kg
Manganese (7439-96-5)	
ATE (Oral)	9000.000 mg/kg body weight
Urea, polymer with formaldehyde (9011-05-6)	
LC50 Inhalation Rat (mg/l)	> 167 mg/m³ (Exposure time: 4 h)
(S,S)-Dimethyl 2-(difluoromethyl)-4-(2-methyl (97886-45-8)	propyl)-6-(trifluoromethyl)-3,5-pyridinedicarbothioate
LC50 Inhalation Rat (mg/l)	> 6 g/m³ (Exposure time: 4 h)
Urea (57-13-6)	
ATE (Oral)	8471.000 mg/kg

Skin Corrosion/Irritation: Causes skin irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

HUDSON VALLEY Turf Fertilizer with Dimension 0.17% Herbicide

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Iron oxide (Fe2O3) (1309-37-1)	
IARC group	3
Saccharated iron oxide (8047-67-4)	
IARC group	3

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Potential Adverse Human Health Effects and Symptoms: Harmful if swallowed.

Symptoms/Injuries After Inhalation: Irritating to the respiratory system and mucous membranes. May cause cancer by inhalation. May cause drowsiness or dizziness.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Harmful if swallowed. Swallowing a small quantity of this material will

result in serious health hazard.

Chronic Symptoms: May cause cancer.

Serious Eye Damage/Irritation: Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - General : Harmful to aquatic life with long lasting effects.

= -	
Sulfuric acid, dipotassium salt (777	8-80-5)
LC50 Fish 1	653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
EC50 Daphnia 1	890 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC 50 Fish 2	3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Diammonium phosphate (7783-28-0	,
LC50 Fish 1	26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC 50 Fish 2	24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
Potassium chloride (7447-40-7)	
LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC 50 Fish 2	750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Ammonium sulfate (7783-20-2)	
LC50 Fish 1	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	14 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow- through])
Sulfur (7704-34-9)	
LC50 Fish 1	866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
LC 50 Fish 2	14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Ferrous sulfate (7720-78-7)	
LC50 Fish 1	925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])

HUDSON VALLEY Turf Fertilizer with Dimension 0.17% Herbicide

EC50 Daphnia 1	152 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	0.56 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 Daphnia 2	6.15 - 9.26 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Sodium chloride (7647-14-5)		
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis	
	macrochirus [flow- through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
Bentonite (1302-78-9)		
LC50 Fish 1	19000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
Magnesium sulfate (7487-88-9)		
LC50 Fish 1	2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1	266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 Other Aquatic Organisms 1	2700 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)	
Urea (57-13-6)		
LC50 Fish 1	16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)	
EC50 Daphnia 1	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	

12.2. Persistence and Degradability

HUDSON VALLEY TURF FERTILIZER 0.17% DIMENSION	
Persistence and Degradability	May cause long-term adverse effects in the environment. This product is water soluble and eventually biodegrades into elemental nitrogen. Excess nitrogen and nitrates in a body of water will contribute to eutrophication with visible effects such as toxic algae bloom. Not established.

12.3. Bioaccumulative Potential

And Distributed of Statement			
HUDSON VALLEY TURF FERTILIZER WITH 0.17% DIMENSION			
Bioaccumulative Potential	Not established.		
Diammonium phosphate (7783-28-0)			
BCF fish 1	(no bioaccumulation expected)		
Monoammonium phosphate (7722-76-1)			
BCF fish 1	(no bioaccumulation expected)		
Ammonium sulfate (7783-20-2)			
Log Pow	-5.1 (at 25 °C)		
Sodium chloride (7647-14-5)			
BCF fish 1	(no bioaccumulation)		
Urea (57-13-6)			
BCF fish 1	< 10		
Log Pow	-1.59 (at 25 °C)		

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment

SECTION 13: Disposal considerations

Disposal of the product

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. See product label for disposal instructions. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative the nearest EPA Regional Office for guidance.

Disposal of contaminated packaging

Non - refillable container. See product label for container disposal instructions.

Waste treatment

Consult federal, state/provincial and local regulations regarding the proper disposal of this material.

Sewage disposal

Prevent material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways.

SECTION 14: Transport information

14.1	UN Number	None
14.2	UN Proper Shipping Name	None
14.3	Transport hazard class(es)	None
14.4	Packing group	None
14.5	Environmental hazards	None
14.6	Special precautions for user	None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code None

SECTION 15: Regulatory information

L5.1 US Federal Regulations	
EPA TSCA Regulatory Flag	This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard

Sulfuric acid, dipotassium salt (7778-80-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Diammonium phosphate (7783-28-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Potassium chloride (7447-40-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Monoammonium phosphate (7722-76-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Ammonium sulfate (7783-20-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Sulfur (7704-34-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Iron oxide (Fe2O3) (1309-37-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Ferrous sulfate (7720-78-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Manganese oxide (Mn3O4) (1317-35-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Sodium chloride (7647-14-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Magnesium oxide (MgO) (1309-48-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Limestone (1317-65-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Potassium nitrate (7757-79-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Bentonite (1302-78-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Manganese (7439-96-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on	SARA Section 313 (Specif
toxic chemical listings)	
SARA Section 313 - Emission Reporting	1.0 %
Urea, polymer with formaldehyde (9011-05-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Magnesium sulfate (7487-88-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Urea (57-13-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
5.2 US State Regulations Potassium chloride (7447-40-7)	

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Monoammonium phosphate (7722-76-1)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Ammonium sulfate (7783-20-2)

HUDSON VALLEY Turf Fertilizer with Dimension 0.17% Herbicide

- U.S. California SCAQMD Toxic Air Contaminants With Proposed Risk Values
- U.S. California Toxic Air Contaminant List (AB 1807, AB
- 2728) RTK U.S. Massachusetts Right To Know List
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental
- Hazard List RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Sulfur (7704-34-9)

- RTK U.S. Massachusetts Right To Know List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Mexico Air Quality Ambient Air Quality
- Standards RTK U.S. Pennsylvania RTK (Right to

Know) List

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Iron oxide (Fe2O3) (1309-37-1)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits -
- TWAs RTK U.S. Massachusetts Right To

Know List

- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels
- (AALs) Annual RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits -
- TWAs RTK U.S. Pennsylvania RTK (Right

to Know) List

- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

Ferrous sulfate (7720-78-7)

HUDSON VALLEY Turf Fertilizer with Dimension 0.17% Herbicide

- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2 RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Polluting Materials List
- U.S. New Jersey Discharge Prevention List of Hazardous Substances RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Manganese oxide (Mn3O4) (1317-35-7)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr) RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. North Carolina Control of Toxic Air Pollutants RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

Sodium chloride (7647-14-5)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Magnesium oxide (MgO) (1309-48-4)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual RTK U.S.
- New Jersey Right to Know Hazardous Substance List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits TWAs RTK U.S. Pennsylvania RTK (Right to Know)

HUDSON VALLEY Turf Fertilizer with Dimension 0.17% Herbicide

List

- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

Limestone (1317-65-3)

- U.S. Idaho Occupational Exposure Limits TWAs
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Oregon Permissible Exposure Limits TWAs RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

Potassium nitrate (7757-79-1)

- RTK U.S. Massachusetts Right To Know List
- RTK U.S. New Jersey Right to Know Hazardous Substance List RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Bentonite (1302-78-9)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Manganese (7439-96-5)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Primary Drinking Water Regulations Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Georgia Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits Ceilings
- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine- Air Pollutants Hazardous Air Pollutants
- U.S. Massachusetts Drinking Water Secondary Maximum Contaminant Levels (SMCLs) RTK U.S.
- Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act

HUDSON VALLEY Turf Fertilizer with Dimension 0.17% Herbicide

- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. Missouri Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Nevada Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. New Hampshire Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Secondary Drinking Water Standards Recommended Upper Limits (RULs)
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less
- U.S. New York Occupational Exposure Limits Ceilings
- U.S. North Carolina Control of Toxic Air Pollutants
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits Ceilings
- U.S. Pennsylvania Drinking Water Secondary Maximum Contaminant Levels (SMCLs) RTK U.S. -
- Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. South Carolina Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Drinking Water Standards Secondary Constituent Levels (SCLs)
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Vermont Permissible Exposure Limits Ceilings
- U.S. Vermont Permissible Exposure Limits STELs
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Virginia Water Quality Standards Public Water Supply Effluent Limits
- U.S. Washington Permissible Exposure Limits Ceilings
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

Urea, polymer with formaldehyde (9011-05-6)

HUDSON VALLEY Turf Fertilizer with Dimension 0.17% Herbicide

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Magnesium sulfate (7487-88-9)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Urea (57-13-6)

- U.S. Minnesota Hazardous Substance List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

SECTION 16: Other information

This safety data sheet was developed from safety data sheets of suppliers of the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or beyond its intended use. This information is based on our present knowledge and is provided according to the relevant national regulations.

16.1 Further information/disclaimer

This information is intended as a characterization of the product in order to provide guidance for the relevant safety issues. However, this document does not provide any warranty, expressed or implied, regarding the properties of the product. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Ferti Technologies. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.

16.2 Preparation information

The classification of the mixture was set based on the regulation (US) HazCom 1910.1200 [HCS 2012].